

NYLON CAST OILON

IDENTIFICATION

NYLACAST 1. Product Name:

UN Number:

Not applicable

CF008 OILON finished

product

2. Composition/Information on Ingredients:

Ingredients considered Hazardous to Health.

This product is not expected to be hazardous to health as defined by the EC Dangerous Substances/Preparations Directives. See section 15 for a regulatory analysis of the ingredients.

3. Possible Hazards:

Contact with hot material may cause skin burns. Hazardous decomposition products - refer to section 5 Un-reacted chemicals may be exposed during machining: R20/22 – harmful by inhalation and if swallowed; R36/37/38 – Irritating to eyes, respiratory system and skin.

4. FIRST AID MEASURES:

Not expected to be a problem. If uncomfortable, obtain medical attention. Ingestion:

Skin Not expected to be a problem. Monomer vapour from heated product can cause

irritation. Wash thoroughly with soap and water. Contact:

Particles can cause mechanical irritation. If irritation occurs, summon physician. Eye Contact:

Monomer vapour from heated product can cause irritation. Wash affected eyes for at

least 15 minutes under running water with eyelids open, consult an eye specialist.

Inhalation: Monomer vapour from heater product can cause irritation. Keep patient calm, remove

to fresh air, summon medical help.



ALLPLASTICS ENGINEERING PTY LTD

Unit 20, 380 Eastern Valley Way, CHATSWOOD NSW 2067 Telephone: (02) 9417 6111 Facsimile: (02) 9417 6169 Sales : sales@allplastics.com.au Website : www.allplastics.com.au Specialist in Machining, Fabrication & Supply of Plastics



5. FIRE FIGHTING MEASURES:

EXTINGUISHING MEDIA: Foam, Water, Water fog, dry chemical, Carbon dioxide

SPECIAL **EQUIPMENT:**

PROTECTIVE For fires in enclosed areas, fire-fighters must use self

contained breathing apparatus.

HAZARDS:

UNUSUAL FIRE & EXPLOSION May generate irritating vapour when burning.

HAZARDOUS

DECOMPOSITION PRODUCTS:

Incomplete combustion results in formation of toxic vapour. containing mainly carbon monoxide and carbon dioxide. In

addition small quantities of the following substances can be formed: nitrogen oxides, hydrogen cyanide.

FURTHER INFORMATION: Collect separately contaminated extinguishing water, do not

allow to reach sewerage or effluent systems.

6. ACCIDENTAL RELEASE MEASURES:

Avoid obstacle hazard by removing released material. Take care to avoid unstable stacks.

PERSONAL PRECAUTIONS: Not expected to be a problem.

ENVIRONMENTAL

Not expected to be a problem.

PRECAUTIONS:

METHODS FOR CLEANING Sweep/shovel up.

UP:

7. HANDLING AND STORAGE:

HANDLING: No special precautions are necessary beyond normal good

hygiene practices. See section 8 for additional personal

protection advice when handling this product.

STORAGE: No special precautions are necessary beyond normal good

working practices.



ALLPLASTICS ENGINEERING PTY LTD

Unit 20, 380 Eastern Valley Way, CHATSWOOD NSW 2067 Telephone: (02) 9417 6111 Facsimile: (02) 9417 6169 Sales : sales@allplastics.com.au Website : www.allplastics.com.au Specialist in Machining, Fabrication & Supply of Plastics



FIRST AID

In case of ingestion:	Contact physician – do not induce vomiting
In case of inhalation:	Remove to fresh air
In case of skin contact:	Flush skin thoroughly with soap and water. Contact physician if irritation persists. For cuts, clean wound and use antiseptic ointment, dress wound. Treat as any puncture wound.
In case of eye contact:	Immediately irrigate with plenty of water for at least 15 minutes. Contact physician if irritation persists.

CHEMICAL ENTITY	C.A.S. NUMBER	PROPORTION
Phenol Formaldehyde Urea	25104-55-6	50 – 60%
Polymer		
Woven Cotton Fabric		40 – 50%
Oleine	112-80-1	<0.05%
Phenol	108-95-2	<0.1 %
Formaldehyde	50-00-0	<0.15%

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date thereof; however Bearing Thermal Resources Pty Ltd make no warranty with respect to the accuracy of the information or the suitability of the recommendations and assumes no liability to any user thereof.



ALLPLASTICS ENGINEERING PTY LTD

Unit 20, 380 Eastern Valley Way, CHATSWOOD NSW 2067
Telephone: (02) 9417 6111 Facsimile: (02) 9417 6169
Sales: sales@allplastics.com.au Website: www.allplastics.com.au
Specialist in Machining, Fabrication & Supply of Plastics