




Hanging & Suspensions Systems



ALLPLASTICS ENGINEERING PTY LTD
Unit 20, 380 Eastern Valley Way
CHASTWOOD NSW 2067

P: (02) 9417 6111 F: (02) 9417 6169 E: sales@allplastics.com.au
www.allplastics.com.au

FLOOR-CEILING KITS

Durable kits provide the solution for any display situation from the common "floor to ceiling" configuration to various wall-mounted applications. (Numbers relate to individual components that are available separately - see p.44 for item numbers).

1.5mm Cable



#1800 - Kit includes 3.6mtr length of stainless steel cable.

#1800L - Kit includes 5mtr length of stainless steel cable.

- Cables are fitted with top bulb that eliminates any possibility of cable pulling through.
- The strength of the cable installation depends on the ceiling being able to take the weight.


3mm Cable



3mm thick cable provides extra stability to the cable display with less movement between fittings.

#1840 - Kit includes 5mtr length of stainless steel cable.

6mm Rod



Ideal where extra rigidity is required. 6mm chrome plated steel rod comes in 1.0 meter lengths that can be joined together and trimmed to make up the exact length.

#1900 - Floor - Ceiling fittings (Rod purchased separately).

#1910 - 6mm dia chrome rod- 1.0mtr length. e.g. for 2.6 metre height you would need to order 1 x 1900 and 3 x 1910 to give you 1 vertical.

MOUNTING TRACK

Aluminium extrusion with sliding fittings that allows for lateral adjustment of individual vertical cables and rods. May be recessed into board to make flush fitting.

#8852 Mill Finish aluminium - length 4.0mtrs

#8852A Anodized aluminium - length 4.0mtrs


#1826 Threaded plate and screw (set consists of 1 plate and 1 screw)



WALL-MOUNT CABLE KITS


Our wall-mounted cable kits all utilize 1.5mm diameter stainless steel cable. (Numbers relate to individual components that are available separately - see p.44 for item numbers).

WALL-WALL POSTER KIT




#1802 - Designed to display vertical panels 45mm from wall (mount wall fittings pull cable through bottom wall spacer and tension with pliers, then tighten up with grub screws).

WALL-FLOOR POSTER KIT




#1801

WALL-WALL SHELF KIT



#1806 - Designed for shelving, panels etc. Rod extends 260mm from wall. Minimum shelf width 215mm (when used horizontally)

WALL-FLOOR SHELF KIT



#1805

1.5mm CABLE FITTINGS

CABLE FASTENER


Attaches to cable with M4 thread through centre.
Used for attaching panels/cabinets to cables.

20mm Diameter x 13mm Long
#1812 Anodized Aluminium



THROUGH-HOLE SHELF SUPPORT

Requires 9mm dia. hole in shelf.
Can be used with any thickness material.



A 2mm wide slot from the centre of the hole to edge of the shelf will allow the shelf to be removed without altering the cable.

20mm Diameter x 15mm High
#1811 Anodized Aluminium



SINGLE FITTING

Swivel fitting allows for mounting of flat or sloping shelves or vertical display panels.

20mm Diameter x 30mm Long
Anodized Aluminium
#1813 to suit panel thickness up to 4mm
#1817 to suit panel thickness up to 7mm
#1819 to suit panel thickness up to 10mm



DOUBLE FITTING

Swivel fitting allows for mounting of flat or sloping shelves or vertical display panels.

20mm Diameter x 45mm Long
Anodized Aluminium
#1823 to suit panel thickness up to 4mm
#1827 to suit panel thickness up to 7mm
#1829 to suit panel thickness up to 10mm



MINI PANEL FITTINGS

Our new mini fittings allow for mounting vertical panels in a single or double sided configuration. Slimmer profile makes fitting less obtrusive. Will take up to 4mm thick panel.

#1898 Single sided - Anodized aluminum. Size 15mm dia x 30mm long
#1899 Double sided- Anodized aluminum Size 15mm dia x 45mm long



ALLPLASTICS ENGINEERING PTY LTD P: (02) 9417 6111 F: (02) 9417 6169 E: sales@allplastics.com.au www.allplastics.com.au


ACRYLIC GRAPHIC PANELS

- Folded clear acrylic sandwich panels for a comprehensive solution for interchangeable displays
- Easy access pockets allow for changing of the poster without touching the panel fittings.
- Any combination of pockets with the same cable spacing can be used in the same vertical drop.

SINGLE POCKETS

Clear acrylic.


		*Cable Spacing (mm)
#1881P	A4 Portrait	265
#1881L	A4 Landscape	355
#1885P	A3 Portrait	355
#1885L	A3 Landscape	490
#1892P	A2 Portrait	490
#1892L	A2 Landscape	670
#1891P	A1 Portrait	670
#1891L	A1 Landscape	895
#1890P	A0 Portrait	895



MULTIPLE POCKETS

An economical alternative that reduces the number of cables and fittings required.

		*Cable Spacing (mm)
#1882P	Double A4 Portrait	490
#1882L	Double A4 Landscape	670
#1883P	Triple A4 Portrait	715
#1886P	Double A3 Portrait	670



3mm CABLE & 6mm ROD FITTINGS

3mm CABLE FASTENER

Attaches to cable M4 thread through centre. Size: 20mm dia. x 13mm long.



#1842

6mm ROD FASTENER

Attaches various furniture items to rod, has M4 thread through centre. Size: 20mm dia. x 16mm long.



#1912

3mm THROUGH-HOLE SHELF SUPPORT

Requires 9mm dia. hole in shelf. Can be used with any thickness material. Size: 20mm dia. x 15mm high.



#1841

6mm ROD SINGLE FITTING

Swivel fitting allows for mounting of flat or sloping shelves or vertical display panels. Size: 20mm dia x 33mm long.



- #1913 To suit panel thickness of 3mm.
- #1917 To suit panel thickness of 7mm.
- #1919 To suit panel thickness of 10mm.

3mm SINGLE FITTING

Swivel fitting allows for mounting of flat or vertical shelves or vertical display panels. Size - 20mm dia. x 30mm long.



- #1843 To suit panel thickness of 3mm.
- #1846 To suit panel thickness of 7mm.
- #1848 To suit panel thickness of 10mm.

6mm ROD DOUBLE FITTING

Swivel fitting supports shelves etc., on either side of a central cable. Size: 20mm dia x 48mm long.



- #1923 To suit panel thickness of 3mm.
- #1927 To suit panel thickness of 7mm.
- #1929 To suit panel thickness of 10mm.

3mm DOUBLE FITTING

Swivel fitting supports shelves etc., on either side of central cable. Size - 20mm dia. x 40mm long.



- #1844 To suit panel thickness of 3mm.
- #1847 To suit panel thickness of 7mm.
- #1849 To suit panel thickness of 10mm.

WALL-MOUNT ROD FITTING

Rod-wall-mount fitting. Priced each.



#1835

WALL-MOUNT FITTINGS

THROUGH HOLE PANEL FITTING


Requires 14mm dia. hole in panel. Fittings may be mixed and matched to provide the desired combination of wall spacing and panel thickness. All fittings are 20mm dia. Finished - anodised aluminium.

Barrels

- A #1858** Length, ie. gap from wall - 25mm
- B #1861** Length, ie. gap from wall - 45mm

Screws

- C #1856** to suit max. panel thickness - 16mm
- D #1859** to suit max. panel thickness - 10mm



EDGE GRIP PANEL HOLDER

Simply tighten onto the edges of your panel at the top, bottom or side. Attach to wall through the centre of the shaft, slide panel fixing on and tighten grub screws. All fittings are 20mm dia. Finish - anodised aluminium.

- #1831** Max. Panel thickness - 10mm
Gap from wall - 25mm
- #1832** Max. Panel thickness - 4mm
Gap from wall - 25mm
- #1835** Max. Panel thickness - 7mm
Gap from wall - 45mm



PANEL SUPPORTS

Can be mounted in virtually any position for mounting small shelves or signage panels at any angle. Size - 20mm dia x 16mm long O/A

- #1833** to suit panel thickness up to 4mm
- #1837** to suit panel thickness up to 7mm
- #1839** to suit panel thickness up to 10mm



HANGING KITS

HANGING KIT

#1950

2 piece screw on fixing.

#1951

1 metre cable with ball end.



SWIVEL MOUNTING BRACKET

#1961

For attaching picture frames etc.



CABLE HANG KITS

Select the kit according to the thickness panel you are suspending.

#1803 to suit 3mm panel thickness

#1807 to suit 7mm panel thickness

#1809 to suit 10mm panel thickness


Priced individually - i.e. you will need 2 kits to suspend 1 sign.



ROD HANG KITS

#1840

Includes 2 x ceiling fittings and 2 x chrome plated steel rods - 500mm long (Rod fittings to hold panel supplied separately).



HANGING KITS

PICTURE HANGING SYSTEM

The aluminum track is fixed to the wall at the desired height or onto the ceiling. The swivel fitting simply slides in the end of the track to the desired location. Set the Slide-Lock hook fitting to the desired height by pushing the button and your artwork is now ready to hang. The system allows for infinite adjustment with no tools required. Additional hook fittings are available to hang more than one picture in a vertical drop.

Aluminium Track #8852

4 metre length.
Available in Mill Finish (M)
or Anodised (A).

Top swivel fitting in
aluminium track.



Hanging Kit

Includes swivel top fitting
with cable and 1 x AUTO
hook fitting that can be
adjusted at the push of a
button.

#1970
900mm cable.

#1972
2000mm cable.



Additional Hook Fitting #1971



CABLE SYSTEM COMPONENTS

TOP MOUNT

Size - 20mm dia.

#1853 20mm long
#1854 30mm long



CABLE GRIPPER

Size 10mm dia x 14mm long.

#1850 1.5mm cable
#1852 3mm cable



STAINLESS STEEL BAILE

With fixed bulb fitting.
Length 3.6 mtr

#1876 1.5mm dia
#1873 3mm dia



SPRING

#1877



FLOOR FIXING

Size - 20mm dia x 30 mm long.

#1855



TENSIONING SLEEVE

Size 20mm dia x 45mm long.

#1860



WALL SPIGGOT

Size - 20mm dia.


#1857



WALL FLANGE

Size 55 x 32 mm with
3/16" threaded centre hole.

#1865



WALL CABLE SPACER

Size - 20mm dia. x 55mm long
(fits onto Wall Spigot)

#1870



EXTENSION ARM

Size 20mm dia x 250mm long
(fits onto Wall Spigot)

#1871



ROD GRIPPER

Size - 10mm dia. x 55mm long
(has M4 thread through centre)

#1851



ROD GRIP

Size 10mm dia x 10mm long
material - mild steel.

#1862



ROD TENSIONING SLEEVE

Size - 20mm dia. x 45mm long

#1861



ALLEN KEYS

#1816 2mm for cable kits
#1810 3mm for cable fittings
#1818 4mm for rod fittings

HANGING FITTING

Size - 20mm dia. x 30mm long 2mm
dia hole one end M4 thread other end.

#1803 BTM 4mm
#1807 BTM 7mm
#1809 BTM 10mm

