

# ALLPLASTICS METALINE®

## SPLASHBACKS AND PANELS

### Appendix 1 – Suitable Uses for Metaline Panels in all Building Classes

Class of Building	Type of Dwelling	Suitable applications	Examples	Excluded applications
<b>Domestic Applications</b>				
Class 1a	i. a detached house; or ii. one or more dwellings each being a building, separated by a fire-resisting wall, including a row house, terrace house, town house or villa unit.	All applications	Kitchens, bathrooms, wall linings, inserts for doors, laundries, external panels, alfresco areas, toilets, ceiling panels	Nil
Class 1b	A boarding house, guesthouse, hostel or the like, not exceeding 300m <sup>2</sup> and in which not more than 12 persons would be resident	Most applications	As above	Wall or ceilings in fire isolated exits
<b>Commercial Applications</b>				
Class 2	Building containing 2 or more units	Most applications	As above + lifts	Wall or ceilings in fire isolated exits
Class 3	Residential building, other than class 1 or 2 which is a common place of long term or transient living for a number of persons, including: (a) a boarding house, guest house, hostel, lodging house or backpackers accommodation; or (b) a residential part of a hotel or motel; or (c) a residential part of a school; or (d) accommodation for the aged, children or people with disabilities; or (e) a residential part of a health-care building which accommodates members of staff; or (f) a residential part of a detention centre.	Most applications	Wall linings, kitchens, bathrooms and wet areas, ceiling linings + lifts	Wall or ceilings in fire isolated exits, unsprinklered public corridors
Class 4	a dwelling in a building that is Class 5, 6, 7, 8 or 9 if it is the only dwelling in the building	Most applications	Walls, wet areas, toilets	Wall or ceilings in fire isolated exits
Class 5	an office building used for professional or commercial purposes, excluding buildings of Class 6, 7, 8 or 9.	Most applications	Walls, ceilings, fittings, furniture + lifts	Wall or ceilings in fire isolated exits
Class 6	a shop, or other building for the sale of goods by retail or the supply of services direct to the public, including	Most applications	Walls, toilets, furniture, kitchens, wet areas, shop	Wall or ceilings in fire isolated exits

	(i) an eating room, café, restaurant, milk or soft-drink bar; or (ii) a dining room, bar, shop or kiosk part of a hotel or motel; or (iii) a hairdresser's or barber's shop, public laundry, or undertakers establishment; or (iv) market or sale room, showroom or service station		fittings, point of sale, displays	
Class 7a	Car park	Not applicable		
Class 7b	For storage, or display of goods or produce for sale by wholesale	Most applications	Walls, toilets, furniture, kitchens, wet areas, shop fittings, point of sale, displays	Wall or ceilings in fire isolated exits
Class 7b	For storage, or display of goods or produce for sale by wholesale	Most applications	Walls, toilets, furniture, kitchens, wet areas, shop fittings, point of sale, displays	Wall or ceilings in fire isolated exits
Class 8	a laboratory or a building in which a handicraft or process of the production, assembling, altering, repairing packing, finishing, or cleaning of goods or produce is carried out for trade, sale or gain.	Not applicable		
Class 9a	a health-care building; including those parts of the building set aside as a laboratory	Most applications	Wall linings, treatment rooms, wet area, furniture, ceilings, some shielding applications + lifts	Wall or ceilings in fire isolated exits, unsprinklered public corridors
Class 9b	an assembly building, including a trade workshop, laboratory or the like in a primary or secondary school, but excluding any other parts of the building that are of another class	Most applications	Wall linings, wet areas, ceilings	Wall or ceilings in fire isolated exits, unsprinklered public corridors
Class 9c	an aged care building	Most applications	Wall linings, treatment rooms, wet area, furniture, ceilings, some shielding applications + lifts	Wall or ceilings in fire isolated exits
Class 10	a non-habitable building or structure	Not applicable		