

**Aluminum Composite Panel** 

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Aluminum Composite Panel

Product Code:: ALS02 / ALS03 /ALS04 / ALS06 / ALSL / ALS-PV

**Supplier Information** 

Company Name: ZHANGJIAGANG FEITENG ALUMINUM COMPOSITE PANEL CO.,LTD

Address: Houcheng Industry Park, Jingang Town, Zhangjiagang City, Jiangsu, China

 Tel:
 86-512-56797735

 Fax:
 86-512-58779865

 Email:
 info@feitengacp.com

**Emergency Telephone:** 13921977978

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance/Preparation:** Preparation

Ingredients Name	Content/%	CAS NO.
Aluminum	15%	7429-90-5
Polyester paint	1%	-
Low density polyethylene	80%	-
PE Protective film	2%	-
Adhesive film	2%	-

Note: See Section 8 of MSDS for exposure limit data for these ingredients.

## The preparation is not classified as dangerous under the Hazard Communication Standard

This MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of the product.

# 3. HAZARDS IDENTIFICATION

# **Emergency Overview**

Solid, no odor, non-hazardous

Primary Route(s) of Exposure: Eye contact, skin contact

**Potential Health Effects** 

**Acute (short term):** May cause irritation or scratch the surface of the eye/skin.

Issue date: 2010-10-21 Page 1 of 5



## **Aluminum Composite Panel**

**Chronic (long term):** There is no known health effects connected with long term use or contact with this

product. See Section 11 of MSDS for more toxicological data.

Potential Environmental Effects: The material should pose no significant hazard to the environment.

#### 4. FIRST AID MEASURES

**Skin contact:** Wash affected area with soap and water. If symptoms develop seek medical attention.

**Eye contact:** If contact with the eye(s) occurs, wash with copious amounts of water holding eyelid(s) open. If

symptoms develop seek medical attention.

**Inhalation:** In case of inhale, move to fresh air immediately. Get medical aid if symptoms persist.

**Ingestion:** In case of swallow, never give anything by mouth if victim is semi-conscious or unconscious.

Immediately wash out mouth with water. Seek IMMEDIATE medical attention.

Note to physicians: Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

#### Flammable Properties

Flash Point: Not available

Explosion limits: Lower: Not available Upper: Not available

Extinguishing Media: use agent most appropriate to extinguish surrounding fire

Fire & Explosion Hazards: There is no fire or explosion hazard of this product.

Fire Fighting Equipment: As in any fire, wear a self-contained breathing apparatus in pressure-demand, and full

protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Sweep up, and then place into a suitable container for disposal.

Issue date: 2010-10-21 Page 2 of 5



## **Aluminum Composite Panel**

#### 7. HANDLING AND STORAGE

**Handling:** Wash thoroughly after handling. Avoid contact with eyes. Wash clothing before reuse.

**Storage:** Store in a suitable container. Store in a cool, dry, well-ventilated area away from

incompatible substances.

## 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

**Engineering controls:** Provide sufficient ventilation to keep airborne levels below the exposure limit.

Facilities storing or utilizing this material should be equipped with an eyewash

facility and a safety shower.

**Personal Protection:** 

**Eyes:** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133.

**Skin:** Protective garments not normally required. Wear gloves if necessary.

**Clothing:** Protective garments not normally required.

**Respirators:** Follow the OSHA respirator regulations found in 29 CFR 1910.134. Use a

NIOSH/MSHA or approved respirator if exposure limits are exceeded or if

irritation or other symptoms are experienced.

**Exposure guidelines** 

Aluminum CAS# 7429-90-5

United States OSHA: 15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Solid

**Color:** According to product spec. (Red, white, blue)

Odor: None

Vapour Pressure: Not available PH: Not available

**Density (Water= 1):** Aluminum: 2.7

Low density polyester: 0.93

**Ignition temperature:** Not available

**Explosion limits:** Lower: Not available

Upper: Not available

Issue date: 2010-10-21 Page 3 of 5



## **Aluminum Composite Panel**

Boiling Point:Not availableFreezing point:Not availableFlash Point:Not availableMelting point:Not availableSolubility in Water:Not availableViscosity:Not available

## 10. STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions of storage and handling.

**Materials to avoid:** Strong oxidizing agents, strong acids and strong alkalis.

**Conditions to avoid:** High temperature

Hazardous decomposition products: oxides of carbon, aluminum oxide, aluminum fumes

Hazardous polymerization: Will not occur.

## 11. TOXICOLOGICAL INFORMATION

# Acute toxicity data

No toxicity data available for this product.

**Other information:** IARC: not listed

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity:**

No ecotoxicity data available.

Mobility: Not determined.

Biodegradability: No data available.

Bioaccumulation: Not determined

#### 13. DISPOSAL CONSIDERATIONS

Dispose of waste according to relative regulations. Contact a specialist disposal company or the local authority or advice.

Issue date: 2010-10-21 Page 4 of 5



**Aluminum Composite Panel** 

### 14. TRANSPORT INFORMATION

The preparation is not classified as dangerous

**Proper shipping name:** NA

Hazard class: Not regulated

Packing group: NA
Identification number: NA

## 15. REGULATORY INFORMATION

#### **US Federal**

**TSCA** 

CAS# 7429-90-5 is listed on the TSCA Inventory.

### 16. OTHER INFORMATION

**Issue Date:** Oct. 21, 2010

This information and these recommendations are offered in good faith and believed to be correct as of the date hereof. Information and recommendations are supplied upon the condition that the recipients will make their own decision as to safety and suitability for their purposes. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made with respect to the product or the information and recommendations. We make no representation as to completeness or accuracy. In no event we shall be responsible for damages of any nature whatsoever resulting from the use or reliance upon the information and recommendations.

\* \* \* END OF MSDS \* \* \*

Issue date: 2010-10-21 Page 5 of 5